Global Data Sheet

IMPACT 100 Powered by EPOS

The IMPACT 100 is an entry-level headset that delivers exceptional value for money. With smart features that enhance efficiency and an ultra-lightweight design, it is an ideal headset for talk-heavy professionals.



Lenovo

IMPACT 100 MS Mono USB-C+A

IMPACT 100 MS Stereo USB-C+A

Key Features



PROFESSIONAL QUALITY AND AFFORDABLE AUDIO FOR EVERYONE

Get exceptional value for money with this entry-level headset certified for Microsoft Teams and leading UC platforms



ULTRA-LIGHT DESIGN FOR ALL-DAY COMFORT

The lightest stereo headset in its category, featuring a slim, soft silicone headband and leatherette ear pads



GUARANTEED DURABILITY FOR DAILY USE

High-quality materials and robust design make the IMPACT 100 a headset you can rely on, even in the most demanding settings



SMART BUTTONS FOR EFFORTLESS CALL CONTROL

The in-line controller features backlit buttons with distinctive shapes, ensuring effortless call control



CONVENIENT USB-C AND USB-A CONNECTIVITY

Connect easily with any office set-up with the included USB-C to USB-A adapter



Additional benefits & features

ADVANCED NOISE CANCELLING MICROPHONE

The uni-directional microphone and noise cancelling algorithms improve call quality

VERSATILE AND FLEXIBLE BOOM ARM

Wear the boom arm on either the left or right side according to preference

EASY TO LOCATE MUTE BUTTON

Placed at the top of the in-line controller and featuring a unique shape for easy location

CONTROL YOUR SETTINGS WITH EPOS CONNECT

Easy headset management with EPOS Connect app, available for mobile, desktop or web

SUSTAINABLE FSC PACKAGING

Plastic free packaging and materials from responsibly managed forests

DEDICATED MICROSOFT TEAMS BUTTON (TEAMS VARIANTS ONLY)

The LED on the in-line controller flashes informing you of recent Teams notifications

SOFT SILICONE SIDE SUPPORT (MONO VARIANTS ONLY)

The soft silicone support on mono headsets provides a comfortable fit on your head











What's in the box



4Z21T08712

IMPACT 100 Specifications

performance

SPEAKERS

Driver: D 28 mm | 1.1 in Frequency Range: Speak mode: 100 Hz - 8 kHz Wideband Music mode: 20 Hz - 20 kHz Fullband Bandwidth: Wideband Impedance: 40 Ω Earcups: On-ear, D: 56 mm | 2.2 in ANC Technology: No

MICROPHONE

Type: 1 microphone for voice pick-up Frequency Range: 100 Hz - 8 kHz Wideband Microphone Noise Canceling: Yes

AUDIO CODECS SUPPORTED

User Hearing Protection: EPOS ActiveGard™, EU Noise at Work limiter, Australia G616 Acoustic Safety

design

SMART FEATURES

Adjustable headband and flexible boom arm with 270 degrees rotation for left and right wearing Inline controller with backlit icons

- Inline controller Buttons:
- Accept/end a call
- Volume control
- Teams button

WEIGHT

Headset: Stereo: 76 g | 2.6 oz Mono: 51 g | 1.7 oz Single packaging: Stereo: 172.5 g | 6.08 oz Mono: 150.5 g | 5.31 oz

DIMENSIONS (LXWXH)

Product:

Mono: 150 x 56 x 162 mm | 5.9 x 2.2 x 6.3 in Stero: 150 x 56 x 162 mm | 5.9 x 2.2 x 6.3 in Package: 180 x 175 x 56 mm | 7.09 x 6.89 x 2.2 in

connectivity

INTERFACE

USB-C & USB-A (USB-C to A adapter included) Power via USB cable: 5V 100mA

CABLE LENGTH

2 m | 6.5 ft

software

EPOS devices can be managed with following Software solutions:

EPOS CONNECT

Conduct firmware updates and configure headsets for personal audio preferences. EPOS Connect works for Windows, Mac* and VDI/Thin client environments:

eposaudio.com/software-epos-connect

EPOS MANAGER

Manage, update and configure EPOS audio devices from any location - For both cloud and on-premises solutions: eposaudio.com/software-epos-manager

Supported Operating systems: Windows, MacOs, DellWyse, Linux, Stratodesk, IGEL, eLux, Chromebook

information

PART NUMBER (PN)

IMPACT 100 MS Stereo USB-C+A: 4Z21T97932 IMPACT 100 MS Mono USB-C+A: 4Z21T97931

CERTIFICATION

Microsoft Teams, Zoom (Workplace and Contact Center), Google Meet and Webex by Cisco.

Works with all other leading UC platforms.

WARRANTY

2 Years***

***Warranty claims can be made at lenovo@eposaudio.com



-enovo