ADAPT 500 Series

The 2nd generation ADAPT 500 features a new headband and softer earpads for long-term wearing comfort. A foldable boom arm optimizes voice pick-up while ANC reduces background noise. Switch between two Bluetooth® devices using multi-point connectivity and benefit from up to 41 hours of talk time.













Key Features

Concentrate anytime, anywhere with ANC

4 ANC microphones reduce background noise to increase work focus, together with plush ear pads for good sound isolatio

Get clearer calls on demand

The sleek, foldable boom arm and 2 advanced microphones optimize voice pick up for clearer office and mobile calls

See more at eposaudio.com/adapt-500

Enjoy all-day wearing comfort

Low impact headband and softer earpads remove potential pressure points ensuring a comfortable fit in the office or on the move

Ensure clear calls with UC certified solution

Certified for Microsoft Teams and optimized for UC


Slide the boom arm away for a sleek look


The smart and practical boom arm design seamlessly integrates into the earcup and can be retracted when not on a call

What's in the Box



How to Use the **ADAPT 500**





Activate/deactivate ANC



Additional benefits & features



Switch effortlessly between your favorite devices

Enjoy multi-point connectivity via Bluetooth® to mobile and softphone simultaneously. BTD 800 USB-A dongle connects to your PC



Launch Microsoft Teams instantly

Dedicated button for Microsoft Teams via BTD 800 USB-A



Up to 46 hours battery life

Reliable performance wherever and however you work



Store easily with portable carry case

Compact carry case includes USB dongle and USB-C cable



Stay in touch with your surroundings

EPOS Voice™ technology enables you to interact without removing the headset

Product data

1/3

General

Wearing style	On-ear, double-sided headband	
Headset weight	232 g / 8 oz	
Connectivity	Bluetooth® 5.0, USB cable with USB-C connect	
Supported codecs	SBC, AAC, USB-C, aptX™	
Warranty	2 years	
Audio		
Speaker frequency response	20 - 20,000 Hz	
Microphone type	2 beamforming MEMS microphones	
Microphone frequency response	100 – 10,000 Hz	
Noise cancellation	Hybrid ANC technology with 4 microphones	
Technical		
Charging time	3 hours 40 minutes	
Standby time	Up to 81 days	
Battery time	Listening time: up to 46 hours. Talking time: up to 41 hours* Listening time: up to 24 hours. Talking time: up to 24 hours**	
Range	Up to 25 m / 82 ft (device dependent)	

Product data

2/3

Product variants	What's in the box ADAPT 560 II headset, BTD 800 USB-A dongle, USB-A cable with USB-C connector, carry case, compliance sheet, safety guide ADAPT 561 II headset, BTD 800 USB-C dongle, USB-C cable with USB-C connector, carry case, compliance sheet, safety guide	
ADAPT 560 II		
ADAPT 561 II		
Software		
EPOS devices can be managed with following Software solutions:		
EPOS Connect	Conduct firmware updates and configure headsets for personal audio preferences. EPOS Connect works for Windows, Mac® and VDI/Thin client environments: eposaudio.com/software-epos-connect	
EPOS Manager	Manage, update and configure EPOS audio devices from any location - For both cloud and on-premises solutions: eposaudio.com/software-epos-manager	

Product data

3/3

Product	Connects to	Certifications	EAN code	UPC code
ADAPT 560 II Art. no. 1001160	Softphone/PC mobile devices	Optimized for UC and certified for Microsoft Teams***, Zoom, Google Meet, Webex by Cisco, Avaya and Works With Chromebook	57 14708 00962 7	8 40064 40962 9
ADAPT 561 II Art. no. 1001170	Softphone/PC mobile devices	Optimized for UC and certified for Microsoft Teams*** Zoom, Google Meet, Webex by Cisco, Avaya and Works With Chromebook	57 14708 00974 0	8 40064 40974 2

^{***} Microsoft Teams certification applies when USB dongle or cable is connected to PC or Mac®

Spare parts

1/1

Product	Art. no.	Description	EAN code	UPC code
Carry case	1000258	Carry case for ADAPT 500 headsets for easy storage	57 14708 00059 4	8 40064 40059 6
USB-C to USB-A cable	1000211	USB-C to USB-A cable. Cable length 1.2 meter	57 14708 00012 9	8 40064 40012 1
USB-C to USB-C cable	1000304	USB-C to USB-C cable. Cable length 1.5 meter	57 14708 00105 8	8 40064 40105 O
BTD 800 USB-A dongle	1001148	Connect compatible EPOS Bluetooth® audio devices quickly and easily to your PC or Mac	57 14708 00950 4	8 40064 40950 6
BTD 800 USB-C dongle	1000206	Connect compatible EPOS Bluetooth® audio device quickly and easily to your PC or Mac and tablet	57 14708 00007 5	8 40064 40007 7
Earpads	1001186	Spare earpads in black leatherette	57 14708 00990 0	8 40064 40990 2

Appendix

1/1

Additional product data

Color	Black
EPOS Voice™ Technology	For a clear and natural listening experience
Sound pressure level (SPL)	Max. 115 dB - Limited by EPOS ActiveGard® technology
Sound enhancement profiles	Automatically adapt and optimize sound for both communication and multimedia
EPOS ActiveGard® technology	Protects users against acoustic injury caused by sudden sound burst on the line
EU Noise at Work Limiter®	Enhanced audio protection preventing listening fatigue, average 85 dB over a workday