C10 Series

Work or study your way with a stylish, comfortable headset with superior stereo sound designed for the demands of today's hybrid life. Enjoy a wired headset with flexible and simple plug-and-play connectivity – in the office, at home, where you study. Experience flexibility and comfort, with a discreet boom arm design that folds neatly away into the headband. Smart audio technologies such as EPOS Voice™ provide a clear and natural listening experience that helps boost your performance.



Key Features

EPOS Connect

Update your EPOS headset with the latest firmware and personalize your settings with EPOS Connect



Functionality meets stylish design

Guarantee high sound grade communication with a discreet boom arm, which folds away for a stylish look

Enhanced comfort

Newly designed, on-ear ear pads provide great comfort and noise damping, especially when using the leatherette ear pads also provided in the box

See more at eposaudio.com/c10

What's in the Box



Additional benefits & features



Easy to Store and Portable

Take your C10 anywhere with its innovative fold-flat design and included carry pouch, ensuring easy storage and portability



Microsoft Teams certified and UC optimized

Get a seamless work or study experience and jump straight into Microsoft Teams meetings with the dedicated Teams button



Optimize and Personalize With EPOS Connect

Update your headset with the latest firmware and personalize your settings with EPOS Connect



Plug-and-Play device connectivity

With the USB-C connector, versatile workers or students get simple, reliable functionality



EPOS BrainAdapt™ technology

EPOS BrainAdapt™ is a group of pioneering technologies that work together to improve cognitive performance

Product data

1/4

General

Goriorai		
Wearing style	On-ear, double-sided headband	
Transducer principle	Dynamic, semi-closed	
Weight	136 g	
Cable length	1.78 m	
Connectivity	USB-C	
Compatibility	USB-C devices, PC/Mac®	
Certifications	Microsoft Teams* and optimized for UC	
Warranty	2 years, international	
Headphones		
EPOS Voice™ technology	For a clear and natural listening experience	
Driver size	32 mm	
Frequency response	20 - 20,000 Hz	
Impedance	32Ω	
Sensitivity	86 dB/V	
Total Harmonic Distortion (THD)	<1% @ 1kHz, -10dB FS	

Microsoft Teams certification applies when the BTD 800 USB dongle is connected to PC or Mac[®].

Product data

Microphone	
Frequency response	100 - 10,000 Hz
Pick-up pattern	Unidirectional
Noise-cancelling	Yes
Sensitivity	-40 dBV / Pa @ 1kHz
Style	Foldable boom arm
Call management	
UC compatible	Yes
In-line call control	Answer/reject/end calls, manage multiple calls, volume up/down and mute
Hearing protection	
EPOS ActiveGard® technology	Protects users against acoustic injury caused by sudden sound burst on the line
Sound pressure	max. 115 dB
EU Noise at Work limiter**	Enhanced audio protection preventing listening fatigue, average 85 dB over a workday

 $^{^{**}}$ In compliance with EU Noise at Work legislation (Directive 2003/10/EC).

Product data

Content of delivery	What's in the box
What's in the box C10 USB-C Headset, leatherette earpads, carry pouch, quick guide, safety guide, compliance sheet	
Software	
EPOS Connect:	Computer software to update your headset with the latest firmware and personalize your audio device settings. EPOS Connect works for Windows and Mac®: eposaudio.com/software-epos-connect

Product data

Product	Art. no.	Description	EAN code	UPC code
C10 USB-C	1001145	On-ear, double-sided USB-C*** communication headset with in-line call control	57 14708 00947 4	8 40064 40947 6

^{***} USB-C connectivity is optimized for use with PC and Mac®. When USB-C is connected to a smartphone or tablet, the performance is device dependent.

Spare parts

Product	Art. no.	Description	EAN code	UPC code
ADAPT 100 / C10 foam earpads	1000911	Foam earpads for C10 headset	57 14708 00712 8	8 40064 40712 0
ADAPT 100 / C10 leatherette earpads	1000912	Leatherette earpads for C10 headset	57 14708 00713 5	8 40064 40713 7

Appendix

Packaging

Dimension of product packaging (L x W x H)	193 x 75 x 228 mm
Package weight (incl. complete product and packaging)	444.5 g
Dimension of master carton (L x W x H)	420 x 415 x 275 mm
Units in distributor master carton	10