C20 Series

If work or study means communication via multiple devices, choose a wireless headset that fits with your dynamic lifestyle whether it is from home or on-the-go. Lightweight, portable, and wireless, this flexible audio companion keeps you focused. The boom arm gets you closer to the conversation and folds easily into the headband for a clean, modern look. The headset is Microsoft Teams and Zoom certified and UC optimized so you can jump straight into virtual meetings.



Key Features

Up to 27 hours battery life

Enjoy up to 27 hours of playback and up to 23 hours of voice calls before recharging

Flexible connectivity

Enjoy multi-point connectivity that lets you connect to two devices simultaneously, via Bluetooth® or the USB-A dongle



Maximize your comfort and performance

With thick, soft, on-ear leatherette earpads, enabling all-day comfort and passive noise damping

See more at eposaudio.com/c20

What's in the Box



Additional benefits & features



Smart and portable to keep you on-the-go

With a smart fold-flat ear cup design and carry pouch, simply pack up and move on to your next work or study task



Stay stylish with sleek design

Look stylish at work, school or on-the-go with contemporary design and a boom arm that folds discreetly into the headband



EPOS Connect

Update your EPOS headset with the latest firmware and personalize your settings with EPOS Connect



EPOS BrainAdapt™ technology

EPOS BrainAdapt™ is a group of pioneering technologies that work together to improve cognitive performance



Microsoft Teams and Zoom certified and UC optimized

Get a seamless work or study experience with a headset optimized for efficient voice and video calls, certified for Microsoft Teams and Zoom

Product data

Ger	nerai

Wearing style	On-ear, double-sided headband	
Transducer principle	Dynamic, closed	
Weight	121 g	
Connectivity	Bluetooth®, USB-A dongle	
Compatibility	Mobile devices, PC/Mac®	
Multi-point connectivity	Yes (dual)	
Battery life	Listening time: up to 27 h Talking time: up to 23 h	
Charging time	2 h	
Range	25 m	
Bluetooth® version	5.2	
Certifications	Microsoft Teams*, Zoom* and optimized for UC	
Warranty	2 years, international	

 $^{^{\}bullet}$ Microsoft Teams and Zoom certifications apply when the BTD 800 USB dongle is connected to PC or Mac $^{\!\circ}$.

Product data

2/4

Headphones	
EPOS Voice™ technology	For a clear and natural listening experience
Driver size	32 mm
Frequency response	20-20,000 Hz
Impedance	32Ω
Sensitivity	87 dB/V
Total Harmonic Distortion (THD)	0.3% @ 1kHz, OdB FS
Microphone	

Frequency response	100 - 10,000 Hz
Pick-up pattern	Unidirectional
Noise-cancelling	Yes
Sensitivity	-40 dBV / Pa @ 1kHz

Foldable boom arm

Hearing protection

Style

EPOS ActiveGard® technology	Protects users against acoustic injury caused by sudden sound burst on the line
Sound pressure	max. 116 dB
EU Noise at Work limiter**	Enhanced audio protection preventing listening fatigue, average 85 dB over a workday

^{**} In compliance with EU Noise at Work legislation (Directive 2003/10/EC).

Product data

Content of delivery	What's in the box
What's in the box	C20 Headset, BTD 800 USB dongle, USB charging cable, carry pouch, quick guide, safety guide, compliance sheet
Software	
EPOS Connect:	Computer software to update your headset with the latest firmware and personalize your audio device settings. EPOS Connect works for Windows and Mac®: eposaudio.com/software-epos-connect

Product data

Product	Art. no.	Description	EAN code	UPC code
C20	1001146	On-ear, double-sided wireless communication headset with USB dongle	57 14708 00948 1	8 40064 40948 3

Spare parts

Product	Art. no.	Description	EAN code	UPC code
ADAPT 160 ANC / 200 & C20 earpads	1000880	Leatherette earpads for C20 headset	57 14708 00682 4	8 40064 40682 6
USB-C cable	1000211	USB charging cable for C20 headset	57 14708 00012 9	8 40064 40012 1
BTD 800a	1001148	USB-A Bluetooth® dongle for C20 headset	57 14708 00950 4	8 40064 40950 6

Appendix

Packaging

Dimension of product packaging (L x W x H)	193 x 75 x 228 mm
Package weight (incl. complete product and packaging)	454 g
Dimension of master carton (L x W x H)	420 x 415 x 275 mm
Units in distributor master carton	10